

**From:** Mikal Shabazz/R3/USEPA/US  
**Sent:** 5/16/2012 12:13:40 PM  
**To:** "Joanna Mcdonald" <Mcdonald.Joanna@epamail.epa.gov>  
**CC:** "chase.kelley@epa.gov" <chase.kelley@epa.gov>; Denise-T Page; "gross.bonnie@epa.gov" <gross.bonnie@epa.gov>; "heston.gerald@epa.gov" <heston.gerald@epa.gov>; Richard Fetzer; "williams.jacqueline@epa.gov" <williams.jacqueline@epa.gov>  
**Subject:** Re: ERRS Dimock Task Order

Joanna,

I had given this same information that you sent us to Contracts last week but was told it was incorrect. As early as this morning I was told that the IGCE needed to only be for \$55K which I later learned after speaking with Jackie about it moments ago that this contention by Contracts is incorrect. Jackie she is now handling the TO processing.

Mikal Shabazz, ERRS Project Officer/Emergency Planner  
Preparedness and Program Support Branch/HSCD  
U.S. Environmental Protection Agency Region III  
1650 Arch Street (3HS33)  
Philadelphia, PA 19103  
Ph: 215.814.3281/Fx:215.814.3254

From: Joanna Mcdonald/R3/USEPA/US  
To: Denise-T Page/R3/USEPA/US@EPA, shabazz.mikal@epa.gov, williams.jacqueline@epa.gov, Richard Fetzer/R3/USEPA/US@EPA, heston.gerald@epa.gov, gross.bonnie@epa.gov, chase.kelley@epa.gov  
Date: 05/16/2012 11:40 AM  
Subject: ERRS Dimock Task Order

I have returned to Dimock today to find multiple emails regarding this task order. I am attaching previous emails regarding this subject. You will see that I submitted the required paperwork on 5/4 for processing, I followed up on the status the following week and received an email stating it was done. I now see that there are still outstanding issues.

This is an urgent matter, those who speak otherwise on the issue are incorrect.

The old task order needs to have 55k deobligated. The new task order needs to be issued for this amount. In addition to the emails I am attaching another copy of the IGCE and contractor selection form.

If there is additional information needed to process this task order, please let me know immediately and I will get what you need.

Again, this is urgent. The contractor has begun notifying vendors to remove all equipment next week and the command post will be locked on Friday 5/25.

[attachment "BT Re IGCE-contractor form - URGENT TO for Dimock.mht" deleted by Mikal Shabazz/R3/USEPA/US] [attachment "BT IGCE-contractor form.mht" deleted by Mikal Shabazz/R3/USEPA/US] [attachment "BTR Re IGCE-contractor form - URGENT TO for Dimock.mht" deleted by Mikal Shabazz/R3/USEPA/US] [attachment "ERRS Contractor Selection 2005.doc" deleted by Mikal Shabazz/R3/USEPA/US] [attachment "IGCE.docx" deleted by Mikal Shabazz/R3/USEPA/US]